

PRICELIST

15. MAY 2022

AHCON - MADE IN DENMARK

ITEM NO.	MODEL	DKK	EUR
AHCON INFLATION STATIONS - STANDARD			
Colour: RAL 7016			
550 00 150+	IT 200 INFLATION STATION, Standard inflation station incl. PCI 900/7 bar computer inflator	19.750	2.625
550 00 150	As above, unassembled	18.900	2.520
ACCESSORIES excl. installation			
550 00 200	Extension Table 350 mm	2.200	295
554 10 040	Extension Table 700 mm	3.550	475
550 00 201	Extension Table 500 mm with tilt	2.750	370
564 00 600	Roller Table 600 mm, incl. Front decor plate RAL 7016	4.000	540
564 01 100	Roller Table 1.100 mm, incl. Front decor plate RAL 7016	5.650	750
564 00 090	Connecting Kit for roller tables (1 set/2 pcs.)	550	69
151 51 615	Roller with built-in brake	790	105
550 00 210	Floor Anchor Set (1 set/4 pcs.)	350	45
AHCON INFLATION STATIONS - STANDARD PLUS			
550 00 150 P1.0	IT 200 INFLATION STATION PLUS 1.0 (assembled)		
	Standard inflation station incl. PCI 900/7 bar computer inflator, extension tables 350 mm and 500 mm with tilt	24.650	3.310
AHCON INFLATION STATIONS - PREMIUM			
Colour: RAL 7016			
554 01 200	IT 1000 INFLATION STATION, Premium inflation station incl. PCI 1200/7 bar computer inflator	26.750	3.570
ACCESSORIES incl. installation (*excl.)			
554 10 005	Pneumatic Omega Jet System, 30 L tank	13.650	1.840
554 10 010	Pneumatic Safety Gate, right side	8.050	1.075
554 10 020	Pneumatic Safety Gate, left side	8.050	1.075
400 00 129	Warning light, orange	940	125
400 00 135	Audible alarm, sound and warning light, red	1.550	200
100 12 070	Extra PCI 1200/7 bar Computer Inflator	11.500	1.525
554 10 000	PCI holder for extra PCI 1200 Computer Inflator	750	100
975 05 100	Noise reduction kit (only for models with gates)	9.950	1.330
550 00 200	Extension Table 350 mm*	2.200	295
554 10 040	Extension Table 700 mm*	3.550	475
550 00 201	Extension Table 500 mm with tilt*	2.750	370
564 00 600	Roller Table 600 mm, incl. Front decor plate RAL 7016*	4.000	540
564 01 100	Roller Table 1.100 mm, incl. Front decor plate RAL 7016*	5.650	750
564 00 090	Connecting Kit for roller tables (1 set/2 pcs.)*	550	69
151 51 615	Roller with built-in brake*	790	105
975 01 200	Front decor plate for IT 1000 Inflation Station, RAL 3002, RAL 5015 or RAL 9006*	800	105
975 01 300	Front decor plate for Roller Table 600 mm , RAL 3002, RAL 5015 or RAL 9006*	715	95
975 01 400	Front decor plate for Roller Table 1.100 mm , RAL 3002, RAL 5015 or RAL 9006*	800	105
550 00 210	Floor Anchor Set (1 set/4 pcs.)*	350	45
AHCON INFLATION STATIONS - PREMIUM PLUS			
554 01 200 P1.0	IT 1000 INFLATION STATION PLUS 1.0		
	Premium inflation station incl. PCI 1200/7 bar computer inflator, pneumatic Omega Jet System with 30 L tank, extension tables 700 mm and 500 mm with tilt	46.750	6.200
554 01 200 P2.0	IT 1000 INFLATION STATION PLUS 2.0		
	Premium inflation station incl. PCI 1200/7 bar computer inflator, two pneumatic safety gates, warning light, Omega Jet System with 30 L tank, extension tables 700 mm and 500 mm with tilt	63.735	8.500

AHCON INFLATION STATIONS - PREMIUM MAXI			
Colour: RAL 7016			
554 01 500	IT 1200 INFLATION STATION, Premium inflation station incl. PCI 1200/7 bar computer inflator	30.950	4.095
ACCESSORIES incl. installation (*excl.)			
554 10 007	Pneumatic Omega Jet System, 30 L tank	13.650	1.840
554 12 010	Pneumatic Safety Gate, right side	9.400	1.260
554 12 020	Pneumatic Safety Gate, left side	9.400	1.260
400 00 129	Warning light, orange	940	125
400 00 135	Audible alarm, sound and warning light, red	1.550	200
100 12 070	Extra PCI 1200/7 bar Computer Inflator	11.500	1.525
554 10 000	PCI holder for extra PCI 1200 Computer Inflator	750	100
975 05 120	Noise reduction kit (only for models with doors)	13.450	1.810
550 00 200	Extension Table 350 mm*	2.200	295
554 10 040	Extension Table 700 mm*	3.550	475
550 00 201	Extension Table 500 mm with tilt*	2.750	370
564 00 600	Roller Table 600 mm, incl. Front decor plate RAL 7016*	4.000	540
564 01 100	Roller Table 1.100 mm, incl. Front decor plate RAL 7016*	5.650	750
564 00 090	Connecting Kit for roller tables (1 set/2 pcs.)*	550	69
151 51 615	Roller with built-in brake*	790	105
975 01 200	Front decor plate for IT 1200 Inflation Station, RAL 3002, RAL 5015 or RAL 9006*	800	105
975 01 300	Front decor plate for Roller Table 600 mm, RAL 3002, RAL 5015 or RAL 9006*	715	95
975 01 400	Front decor plate for Roller Table 1.100 mm, RAL 3002, RAL 5015 or RAL 9006*	800	105
550 00 210	Floor Anchor Set (1 set/4 pcs.)*	350	45
AHCON INFLATION STATIONS - PREMIUM MAXI PLUS			
554 01 500 P1.0	IT 1200 INFLATION STATION PLUS 1.0		
	Premium inflation station incl. PCI 1200/7 bar computer inflator, pneumatic Omega Jet System with 30 L tank, extension tables 700 mm and 500 mm with tilt	73.400	9.790
AHCON TBR SAFETY INFLATION CAGES - STANDARD			
Colour: RAL 7016			
150 00 500	TBR ALCATRAZ SAFETY INFLATION CAGE, Standard inflation cage - SIMPLEX wire mesh	16.000	2.155
ACCESSORIES incl. installation			
100 09 120ALC	PCI 900/12 bar Computer Inflator kit	9.000	1.210
242 71 991ALC	Michelin Inflator kit	1.840	245
975 01 500	Special RAL colours	1.050	205
	Net price each unit		
AHCON TBR SAFETY INFLATION CAGES - STANDARD PLUS			
150 00 500 P1.0	TBR ALCATRAZ SAFETY INFLATION CAGE PLUS 1.0		
	Standard inflation cage incl. PCI 900/12 bar computer inflator	25.500	3.360
150 00 500 P2.0	TBR ALCATRAZ SAFETY INFLATION CAGE PLUS 2.0		
	Standard inflation cage incl. Michelin inflator	18.250	2.415

AHCON TBR SAFETY INFLATION CAGES - PREMIUM			
Colour: RAL 7016			
150 03 100	TBR 1200 SAFETY INFLATION CAGE, Premium inflation cage - DUPLEX wire mesh	20.950	2.835
ACCESSORIES incl. installation (*excl.)			
100 12 120TBR	PCI 1200/12 bar Computer Inflator kit	13.500	1.810
100 09 120+	PCI 900/12 bar Computer Inflator kit	9.000	1.210
242 71 991+	Michelin Inflator kit	2.175	290
900 20 300	Omega Jet System, pneumatic (only together with PCI 1200 computer inflator)	17.350	2.310
950 13 006	Emergency Emptying System	1.650	225
400 00 129	Warning light, orange	940	125
400 00 135	Audible alarm, sound and warning light, red	1.550	200
900 20 165	Roll-out system, front	2.550	350
900 20 166	Roll-out system, back	2.550	350
900 20 172	Sliding door, left side	4.050	550
900 20 173	Sliding door, right side	4.050	550
900 20 200	Backdoor	2.950	400
900 20 181	Connection set, For double cages*	4.500	610
975 01 500	Special RAL colours	Net price each unit	1.050 205
AHCON TBR SAFETY INFLATION CAGES - PREMIUM PLUS			
150 03 100 P10L	TBR 1200 SAFETY INFLATION CAGE PLUS 1.0L		
	Premium inflation cage incl. PCI 1200/12 bar computer inflator, Omega Jet System, emergency emptying system and warning light, front roll-out system and left side sliding door	60.050	8.075
150 03 100 P10R	TBR 1200 SAFETY INFLATION CAGE PLUS 1.0R		
	Premium inflation cage incl. PCI 1200/12 bar computer inflator, Omega Jet System, emergency emptying system and warning light, front roll-out system and right side sliding door	60.050	8.075
AHCON OTR SAFETY INFLATION CAGES - PREMIUM			
Colour: RAL 7016			
150 03 000	OTR 2000 SAFETY INFLATION CAGE, Premium inflation cage - DUPLEX wire mesh	51.050	6.965
ACCESSORIES incl. Installation (*excl.)			
100 12 120OTR	PCI 1200/12 bar Computer Inflator kit	13.500	1.810
100 09 120OTR	PCI 900/12 bar Computer Inflator kit	9.050	1.210
242 71 991+	Michelin Inflator kit	2.175	290
950 13 006	Emergency Emptying System	1.650	225
400 00 129	Warning light, orange	940	125
400 00 135	Audible alarm, sound and warning light	1.550	200
900 21 160	Roll-out system, front (only one roll-out system is possible per cage)	4.150	560
900 21 161	Roll-out system, back (only one roll-out system is possible per cage)	4.150	560
900 21 170	Sliding door, left side	8.200	1.105
900 21 171	Sliding door, right side	8.200	1.105
900 23 200	Backdoor	5.150	695
900 23 180	Connection set, For double cages*	6.250	830
975 01 600	Special RAL colours	Net price each unit	1.550 205
AHCON OTR SAFETY INFLATION CAGES - PREMIUM PLUS			
150 03 000 P1.0	OTR 2000 SAFETY INFLATION CAGE PLUS 1.0		
	Premium inflation cage incl. PCI 900/12 bar computer inflator, emergency emptying system and warning light, front roll-out system and left side sliding door	75.050	10.185

AHCON OTR MAXI SAFETY INFLATION CAGES - PREMIUM			
Colour: RAL 7016			
150 63 000	OTR MAXI SAFE SAFETY INFLATION CAGE, Premium inflation cage - DUPLEX wire mesh	104.750	13.860
ACCESSORIES incl. installation			
100 12 120MAXI	PCI 1200/12 bar Computer Inflator kit	13.500	1.810
100 09 120MAXI	PCI 900/12 bar Computer Inflator kit	9.050	1.210
950 13 006	Emergency Emptying System	1.650	225
975 01 600	Special RAL colours	1.550	205
		Net price each unit	
AHCON OTR X-BOX SAFETY INFLATION CAGES - PREMIUM			
Colour: RAL 7016			
150 90 100	X-BOX SAFETY INFLATION CAGE, Premium inflation cage - DUPLEX wire mesh	91.350	12.180
150 90 000	As above with Basic SIMPLEX wire mesh	76.150	10.185
ACCESSORIES incl. installation			
100 12 120XBOX	PCI 1200/12 bar Computer Inflator kit	13.500	1.810
100 09 120XBOX	PCI 900/12 Computer Inflator kit	9.050	1.210
950 13 006	Emergency Emptying System	1.650	225
975 01 600	Special RAL colours	1.550	205
		Net price each unit	
AHCON BEAD BREAKERS			
Colour: RAL 7016			
610 12 100	BEAD BREAKER BBRT 700, Standard horizontal bead breaker	25.750	3.465
610 12 140	BEAD BREAKER BBRT 900, Premium horizontal bead breaker	33.900	4.515
610 12 150	BEAD BREAKER BBRT 900 XL, Premium horizontal bead breaker for extra wide rims	36.000	4.830
WHEEL TROLLEY LIFT (610 70 150) is highly recommended together with AHCON BEAD BREAKER			
ACCESSORIES excl. installation			
900 61 016	Wheel Turning Plate with swinging support arm	3.450	410
900 61 100	Holder for mounting paste and knife	450	63
900 52 031	Spring holder for air tool incl. pump hose	1.750	235
900 61 013	Tool Box with 5 shelves (900 + 900 XL supplies with one pc. as standard)	1.750	235
975 01 000	Front decor plate for BEAD BREAKER BBRT 700, RAL 3002, RAL 5015 or RAL 9006	800	105
975 01 100	Front decor plate for BEAD BREAKER BBRT 900 and 900 XL, RAL 3002, RAL 5015 or RAL 9006	800	105
AHCON WHEEL LIFTING EQUIPMENT			
Colour: RAL 7016			
610 70 100	WHEEL LIFT BB 700, Semiautomatic wheel lift for 1 wheel in vertical position	14.600	1.955
610 70 150	WHEEL TROLLEY LIFT, Semiautomatic lift for 4 wheels placed on a Wheel Trolley	15.650	2.080
560 16 001	WHEEL LIFT WL 900, Automatic wheel lift incl. support table for one wheel	26.150	3.490
560 16 010	WHEEL LIFT WL 900+, Automatic wheel lift incl. support table for three wheels	35.300	4.705
620 25 450	CENTERING LIFT WCL 700, Lift for ergonomic clamping of wheels on the wheel balancer	25.750	3.435
620 61 345	SWING LIFT, Automatic lift mainly for OEM assembly lines	17.850	2.385
900 60 013	ROLL-OUT RAMP, Together with SWING Lift - Mainly for OEM assembly lines	11.750	1.750

AHCON TEST AND TYRE REPAIR EQUIPMENT			
Colour: RAL 7016			
200 20 000	TS 9000 TYRE SPREADER for inspection and repair of TBR and OTR tyres	27.150	3.625
ACCESSORIES excl. installation			
900 99 007	Extension arms	1.000	135
900 99 040	Tool box with 5 shelves	1.550	210
210 10 000	TBR/OTR TEST VESSEL, Galvanized. To localize damages on TBR and OTR tyres and tubes	22.150	2.965
ACCESSORIES excl. installation			
210 20 000	Crane with lifting star	33.500	4.465
210 15 000	Tip Lift for TBR tyres	17.650	2.355
900 15 100	Tip Lift Extension for OTR tyres	1.350	180
AHCON COMPUTER INFLATORS			
Colour: RAL 7016			
100 09 070	PCI 900/7 bar Computer Inflator	6.500	875
100 09 120	PCI 900/12 bar Computer Inflator	7.550	1.000
100 12 070	PCI 1200/7 bar Computer Inflator	11.500	1.525
100 12 120	PCI 1200/12 bar Computer Inflator	11.500	1.525
ACCESSORIES excl. installation			
900 55 019	Bracket for IT 200 Inflation Station/TBR ALCATRAZ Inflation Cage	400	53
900 55 021	Bracket for TBR 1200 Inflation Cage	400	53
900 55 022	Bracket for OTR 2000 Inflation Cage	500	63
900 55 025	Bracket for OTR MAXI SAFE Inflation Cages	850	115
900 52 009	Bracket for wall mounting	650	79
900 55 011	Floor stand	1.900	240
900 52 010	Nitrogen regulator, 3-way regulator for nitrogen/air	850	115
950 13 006	Emergency Emptying System with 10 meter cable and switch	1.650	225
950 99 020	Calibration Tank	11.950	1.600
AHCON ROLLER TABLES			
Unassembled // Colour: Galvanised/RAL 7016			
564 00 600	Roller Table 600 mm, incl. Front decor plate RAL 7016	4.000	540
564 01 100	Roller Table 1100 mm, incl. Front decor plate RAL 7016	5.650	750
550 00 200	Extension Table 350 mm	2.200	295
554 10 040	Extension Table 700 mm	3.550	475
550 00 201	Extension Table 500 mm with tilt	2.750	370
560 16 002	Supply Table 3-10 degrees drop	10.450	1.400
560 16 200	Turntable, Pneumatic table for 90 degree turn	8.200	1.095
ACCESSORIES excl. installation			
564 00 090	Connecting Kit for roller tables (1 set/2 pcs.)	550	69
151 51 615	Roller with built-in brake	790	105
550 00 210	Floor Anchor Set (1 set/4 pcs.)	350	45
975 01 300	Front decor plate for Roller Table 600 mm , RAL 3002, RAL 5015 or RAL 9006*	715	95
975 01 400	Front decor plate for Roller Table 1.100 mm , RAL 3002, RAL 5015 or RAL 9006*	800	105

AHCON WORKSHOP AND POWER WALLS			
Colour: RAL 7016			
631 00 050	FLEX POWER WALL 1000 BASIC, H:1.050 W:76 L:1.020 mm	7.150	945
631 00 070	FLEX POWER WALL 1700 BASIC, H:1.050 W:76 L:1.720 mm	8.200	1.105
631 00 100	FLEX POWER WALL 2300 BASIC, H:1.050 W:76 L:2.340 mm	8.800	1.180
631 00 150	FLEX POWER WALL 2300 COMBI, H:1.360 W:76 L: 2.300 mm	11.350	1.525
631 00 170	FLEX POWER WALL 2600 COMBI, H:1.360 W:76 L: 2.600 mm	12.000	1.600
ACCESSORIES incl. installation (*excl.)			
900 01 500	Air Connecting kit*	650	84
900 10 100	Electrical power set, Basic model. Country specific	3.350	455
900 10 150	Electrical power set, Combi model. Country specific	2.200	295
AHCON ACOUSTIC WALLS			
Colour: RAL 7016			
900 00 010	ACOUSTIC WALL, H:2.170 W: 1.030 mm	5.550	735
900 00 000	ACOUSTIC WALL, Portable H:2.270 W: 1.030 mm	6.850	915
ACCESSORIES excl. installation			
900 00 001	End post	950	130
900 00 002	Corner post	950	130
AHCON LED SYSTEM			
Galvanised			
01R1440	LED MODULE 1440 01R, LED screen mounted on the right-hand side	1.290	174
01L1440	LED MODULE 1440 01R, LED screen mounted on the left-hand side	1.290	174
01RL1440	LED MODULE 1440 01R, LED screen mounted in the right- and left-hand side	1.690	227
01N1440	BLANK MODULE 1440 01N, blank for extending LED screens	990	133
02A001	CORNER MODULE	390	53
02A002	T-MODULE	490	66
02A003	END MODULE	190	26
02A004	WIRE SUSPENSION, incl. wire and ceiling brackets	290	39

WHEEL TROLLEY - MADE IN DENMARK

NEW SUSTAINABLE SERIES OF WHEEL TROLLEYS:

WHEEL TROLLEY RECYCLED

The 3 sizes: standard, off road and XL are available in variants made of recycled materials.
All recycled variants are produced in the colour black.

We still produce the grey and yellow standard variants which you also find in the pricelist.

ITEM NO.	MODEL	DKK	EUR
WHEEL TROLLEY RECYCLED STANDARD // in stock now			
Assembled			
63000CKWT-R	Wheel Trolley RECYCLED Standard Basic	320	43
63000CKWT1B-R	Wheel Trolley RECYCLED Standard w/one locking caster	355	47
63000CKWT2B-R	Wheel Trolley RECYCLED Standard w/two locking casters	375	50
ONE BY ONE PACKAGING (1 PC.)			
6301PCKWT-R	Wheel Trolley RECYCLED Standard Basic	360	48
6301PCKWT1B-R	Wheel Trolley RECYCLED Standard w/one locking caster	380	51
6301PCKWT2B-R	Wheel Trolley RECYCLED Standard w/two locking casters	400	53
TWIN-PACK PACKAGING (2 PCS.)			
6302PCKWT-R	Wheel Trolley RECYCLED Standard Basic	700	93
6302PCKWT1B-R	Wheel Trolley RECYCLED Standard w/one locking caster	740	99
SIX PACK PACKAGING (6 PCS.)			
6306PCKWT-R	Wheel Trolley RECYCLED Standard Basic	2.040	272
6306PCKWT1B-R	Wheel Trolley RECYCLED Standard w/one locking caster	2.170	289
6306PCKWT2B-R	Wheel Trolley RECYCLED Standard w/two locking casters	2.300	307
SPARE PARTS			
0149 00601V2	Caster, max load 60 kg	68	9
0149 00602V2	Caster w/lock, max load 60 kg	98	14
0149 00612	Screw bolt, 8 x 16 mm Torx Precote 85	11	1,50
WHEEL TROLLEY RECYCLED OFF ROAD // in stock June 2022			
Assembled			
70000CKWT-R	Wheel Trolley RECYCLED Off Road Basic	435	58
70000CKWT1B-R	Wheel Trolley RECYCLED Off Road w/one locking caster	465	62
70000CKWT2B-R	Wheel Trolley RECYCLED Off Road w/two locking casters	490	65
ONE BY ONE PACKAGING (1 PC.)			
7001PCKWT-R	Wheel Trolley RECYCLED Off Road Basic	490	65
7001PCKWT1B-R	Wheel Trolley RECYCLED Off Road w/one locking caster	520	69
7001PCKWT2B-R	Wheel Trolley RECYCLED Off Road w/two locking casters	550	73
FOUR-PACK PACKAGING (4 PCS.)			
7004PCKWT-R	Wheel Trolley RECYCLED Off Road Basic	1.760	235
7004PCKWT1B-R	Wheel Trolley RECYCLED Off Road w/one locking caster	1.875	250
7004PCKWT2B-R	Wheel Trolley RECYCLED Off Road w/two locking casters	1.990	265
SPARE PARTS			
0149 00901V2	Caster, max load 90 kg	130	18
0149 00902V2	Caster w/lock, max load 90 kg	170	23
0149 00955	Screw, 10x35 mm	7,50	1

WHEEL TROLLEY RECYCLED XL // in stock June 2022			
Assembled			
80000CKWT-R	Wheel Trolley RECYCLED XL Basic	520	69
80000CKWT1B-R	Wheel Trolley RECYCLED XL w/one locking caster	555	74
80000CKWT2B-R	Wheel Trolley RECYCLED XL w/two locking casters	585	78
ONE BY ONE PACKAGING (1 PC.)			
8001PCKWT-R	Wheel Trolley RECYCLED XL Basic	550	73
8001PCKWT1B-R	Wheel Trolley RECYCLED XL w/one locking caster	580	77
8001PCKWT2B-R	Wheel Trolley RECYCLED XL w/two locking casters	615	82
TWIN-PACK PACKAGING (2 PCS.)			
8002PCKWT-R	Wheel Trolley RECYCLED XL Basic	1.080	144
8002PCKWT1B-R	Wheel Trolley RECYCLED XL w/one locking caster	1.145	153
8002PCKWT2B-R	Wheel Trolley RECYCLED XL w/two locking casters	1.210	161
SPARE PARTS			
0149 00501	Caster, max load 125 kg	120	16
0149 00502	Caster w/lock, max load 125 kg	165	22
0149 00710	Screw, 6 x 20 mm (4 pcs. per caster)	7,50	1

WHEEL TROLLEY (STANDARD MATERIAL)			
ITEM NO.	MODEL	DKK	EUR
WHEEL TROLLEY STANDARD			
Assembled			
63000CKWT	Wheel Trolley Standard Basic	350	47
63000CKWT1B	Wheel Trolley Standard w/one locking caster	385	50
63000CKWT2B	Wheel Trolley Standard w/two locking casters	410	54
ONE BY ONE PACKAGING (1 PC.)			
6301PCKWT	Wheel Trolley Standard Basic	390	52
6301PCKWT1B	Wheel Trolley Standard w/one locking caster	415	56
6301PCKWT2B	Wheel Trolley Standard w/two locking casters	440	59
TWIN-PACK PACKAGING (2 PCS.)			
6302PCKWT	Wheel Trolley Standard Basic	760	101
6302PCKWT1B	Wheel Trolley Standard w/one locking caster	805	108
SIX PACK PACKAGING (6 PCS.)			
6306PCKWT	Wheel Trolley Standard Basic	2.220	297
6306PCKWT1B	Wheel Trolley Standard w/one locking caster	2.365	316
6306PCKWT2B	Wheel Trolley Standard w/two locking casters	2.510	336
SPARE PARTS			
0149 00601V2	Caster, max load 60 kg	68	9
0149 00602V2	Caster w/lock, max load 60 kg	98	14
0149 00612	Screw bolt, 8 x 16 mm Torx Precote 85	11	1,50
WHEEL TROLLEY OFF ROAD			
Assembled			
70000CKWT	Wheel Trolley Off Road Basic	475	63
70000CKWT1B	Wheel Trolley Off Road w/one locking caster	505	68
70000CKWT2B	Wheel Trolley Off Road w/two locking casters	535	72
ONE BY ONE PACKAGING (1 PC.)			
7001PCKWT	Wheel Trolley Off Road Basic	535	71
7001PCKWT1B	Wheel Trolley Off Road w/one locking caster	565	75
7001PCKWT2B	Wheel Trolley Off Road w/two locking casters	600	80
FOUR-PACK PACKAGING (4 PCS.)			
7004PCKWT	Wheel Trolley Off Road Basic	1.920	257
7004PCKWT1B	Wheel Trolley Off Road w/one locking caster	2.045	272
7004PCKWT2B	Wheel Trolley Off Road w/two locking casters	2.170	290
SPARE PARTS			
0149 00901V2	Caster, max load 90 kg	130	18
0149 00902V2	Caster w/lock, max load 90 kg	170	23
0149 00955	Screw, 10x35 mm	7,50	1

WHEEL TROLLEY XL			
Assembled			
80000CKWT	Wheel Trolley XL Basic	570	76
80000CKWT1B	Wheel Trolley XL w/one locking caster	605	81
80000CKWT2B	Wheel Trolley XL w/two locking casters	640	86
ONE BY ONE PACKAGING (1 PC.)			
8001PCKWT	Wheel Trolley XL Basic	600	80
8001PCKWT1B	Wheel Trolley XL w/one locking caster	635	85
8001PCKWT2B	Wheel Trolley XL w/two locking casters	670	90
TWIN-PACK PACKAGING (2 PCS.)			
8002PCKWT	Wheel Trolley XL Basic	1.180	157
8002PCKWT1B	Wheel Trolley XL w/one locking caster	1.250	167
8002PCKWT2B	Wheel Trolley XL w/two locking casters	1.320	176
SPARE PARTS			
0149 00501	Caster, max load 125 kg	120	16
0149 00502	Caster w/lock, max load 125 kg	165	22
0149 00710	Screw, 6 x 20 mm (4 pcs. per caster)	7,50	1
WHEEL PALLET			
Assembled			
80600CKWT	Wheel Pallet Basic	590	80
80600CKWT1B	Wheel Pallet w/one locking caster	625	84
80600CKWT2B	Wheel Pallet w/two locking casters	660	90
SPARE PARTS			
0149 00501	Caster, max load 125 kg	120	16
0149 00502	Caster w/lock, max load 125 kg	165	22
0149 00510	Screw, 6 x 30 mm (4 pcs. per caster)	7,50	1
WHEEL TROLLEY EASY LIFT			
Unassembled			
70003CKWT2B	Wheel Trolley EASY LIFT 2.0	2.340	312
	ONE BY ONE packaging	Inclusive	
SPARE PARTS			
0149 00901V2	Caster, max load 90 kg	86	11
0149 00902V2	Caster w/lock, max load 90 kg	112	15
0149 00955	Screw, 10x35 mm	7,50	1
WHEEL TROLLEY EXTENDED			
Unassembled			
63003CKWT	Wheel Trolley EXTENDED Basic	1.485	200
63003CKWT1B	Wheel Trolley EXTENDED w/one locking caster	1.510	203
63003CKWT2B	Wheel Trolley EXTENDED w/two locking casters	1.530	206
	ONE BY ONE packaging	Inclusive	
SPARE PARTS			
0149 00601 V2	Caster, max load 60 kg	68	9
0149 00602V2	Caster w/lock, max load 60 kg	68	14
0149 00614	Screw bolt, 8 x 35 mm	11	1,50
0149 00617	Spanner tool	45	6
WHEEL TROLLEY ANTI-SLIP 600			
60020PRG	Anti-Slip 600 Recycled rubber mats. Ø600 mm / Box with 20 pcs.	1.045	140

WHEEL CADDY			
RAL colour: 7016			
650 15 000	Tyre- and Wheel Caddy	2.200	293
SPARE PARTS			
33051510	Wheel, Ø270 mm	150	20
33051515	Wheel Cap, Ø20 mm	20	3
14052626	Metal Spring, 2,5 X 21 X 45 mm	80	11
WHEEL BUDDY			
RAL colour: 7016			
650 20 211	Wheel Buddy	3.190	429
ACCESSORIES excl. installation			
74123	Hanging hook L:38 mm, 3 pcs.	34	5
74170	Double hook L:50 mm W:40 mm, 3 pcs.	34	5
74161	Ring hook Ø60 mm, 2 pcs.	29	4
SPARE PARTS			
0149 00901V2	Caster, max load 90 kg	86	11,45
0149 00902V2	Caster w/lock, max load 90 kg	112	14,95
WHEEL TROLLEY TOWER LIFT BY AHCON			
WHEEL TROLLEY TOWER LIFT 2.0 / 2.1			
RAL colour: 7016			
0185TL2.0	Wheel Trolley Tower Lift 2.0, Standard battery / Standard Tool, max load 120 kg	169.900	22.800
0185TL2.0L	Wheel Trolley Tower Lift 2.0, Lithium battery / Standard Tool, max load 120 kg	189.900	25.485
ACCESSORIES excl. installation			
0185TL2.0+	Wheel Trolley Tower Lift 2.0, Standard battery / Off Road Tool, max load 180 kg	179.900	24.135
0185TL2.0L+	Wheel Trolley Tower Lift 2.0, Lithium battery / Off road Tool, max load 180 kg	199.900	26.830
ACCESSORIES excl. installation			
0185TL2.1	Wheel Trolley Tower Lift 2.1, Standard battery / Standard Tool, max load 120 kg	184.900	24.815
0185TL2.1L	Wheel Trolley Tower Lift 2.1, Lithium battery / Standard Tool, max load 120 kg	204.900	27.500
ACCESSORIES excl. installation			
0185TL2.1+	Wheel Trolley Tower Lift 2.1, Standard battery / Off Road Tool, max load 180 kg	194.900	26.160
0185TL21L+	Wheel Trolley Tower Lift 2.1, Lithium battery / Off Road Tool, max load 180 kg	214.900	28.835
ACCESSORIES excl. installation			
0185L150	Lithium Battery package for retrofitting	36.750	4.935
0185TLT180	Wheel Trolley Off Road Tool for retrofitting	30.450	4.085
F1 TIRE RACKS BY AHCON			
CONTAINER SET - RAL COLOUR 7016 / 7042			
802010F1KIT	F1 TYRE STORAGE RACK, CONTAINERSSET FOR 144 WHEELS // 20 FEET CONTAINER	7.145	953
802011F1KIT	F1 TYRE STORAGE RACK, CONTAINERSSET FOR 288 WHEELS // 40 FEET CONTAINER	13.610	1.815
STARTER SET - RAL COLOUR 7016 / 7042			
801010F1KIT	F1 TYRE STORAGE RACK, STARTER SET, ROOM FOR 60 TYRES IN 3 LAYERS	3.570	477
802050F1KIT	F1 TYRE STORAGE RACK, STARTER SET, ROOM FOR 72 TYRES IN 3 LAYERS	3.985	532
801012F1	F1 TYRE STORAGE RACK, STARTER SET, ROOM FOR 80 TYRES IN 4 LAYERS	4.353	605
EXTENSION SET - RAL COLOUR 7016 / 7042			
801011F1KIT	F1 TYRE STORAGE RACK, EXTENSION SET, ROOM FOR 30 TYRES (3 LAYERS)	1.645	220
802099F1KIT	F1 TYRE STORAGE RACK, EXTENSION SET, ROOM FOR 36 TYRES (3 LAYERS)	1.785	238
801013F1	F1 TYRE STORAGE RACK, EXTENSION SET, ROOM FOR 40 TYRES (4 LAYERS)	1.935	258
WHEEL SUPPORT			
WS350II	AHCON WHEEL SUPPORTS (BOX WITH 20 PCS)	930	124

AHCON®

 **MADE IN DENMARK**

FLEX10NE A/S

LADELUNDVEJ 37-39

DK-6650 BRØRUP

Tlf. +45 76 15 21 50

ahcon@ahcon.dk

www.ahcon.com



15. MAY 2022